CATALYSIS CLUB OF PHILADELPHIA

Promoting Catalytic Science and Technologies

SPONSORS

GOLD JOHNSON MATTHEY

Officers

CHAIR Anton Petushkov Zeolyst International

CHAIR-ELECT Josh Pacheco Zeolyst International

> PAST CHAIR Torren Carlson DuPont

TREASURER Lifeng Wang Zeolyst International

> SECRETARY Dan Slanac DuPont

PROGRAM CHAIR Istvan Halasz PQ Corp.

ARRANGEMENTS CHAIR
Tzia Ming

DIRECTOR, SPONSORSHIP
Thomas Yeh
Johnson Matthey

DIRECTOR, STUDENT POSTER
Eric Sacia
DuPont

DIRECTOR, MEMBERSHIP

Jacob Dickinson

DuPont

WEBMASTER Carl Menning Sentry Data Systems

NATIONAL REPRESENTATIVE Dion Vlachos University of Delaware

Catalysis Club of Philadelphia

Thursday, October 27th, 2016

DoubleTree Hotel
4727 Concord Pike Wilmington, DE 19803

Development of heterogeneous catalysts for the production of biomass-derived chemicals by selective C-O hydrogenolysis and deoxydehydration

Professor Keiichi Tomishige

School of Engineering, Tohoku University, 6-6-07 Aoba, Aramaki, Aoba-ku,
Sendai, Miyagi 980-8579, Japan;
Fax: +81-22-795-7214, tomi@erec.che.tohoku.ac.jp

Social Hour: 5:30 PM
Dinner: 6:30 PM
Meeting: 7:30 PM

Members: \$35.00

Walk Ins & Non-members: \$40.00 Students & Retired Members: \$20.00

Menu*

Grilled Vegetable Ravioli – grilled vegetables blended with ricotta, mozzarella, parmesan, fontina and pecorino romano cheeses, wrapped in basil pasta

Pesto Roasted Chicken Breast – sundried tomato risotto and sautéed brocollini

Sesame Crusted Salmon – cauliflower and potato wasabi puree, steamed edamame, and a teriyaki drizzle

*All dinners served with a classic Caesar salad, rolls and butter, chef's choice of desserts, coffee, tea, iced tea, decaf, and water.

Meal reservations — Please register online by *Friday, Oct. 21*st at http://catalysisclubphilly.org/ program/ meeting-registration/ or notify your company representative or our Arrangements Chair Tzia Ming (tonn@seas.upenn.edu)

Membership - Dues for the 2016-17 season will be \$25.00 (\$5.00 for the local chapter and \$20.00 for the national club). Dues for students, post-docs and retirees will be \$10.00 (\$5.00 for local club and \$5.00 for national club).

Catalysis Club of Philadelphia

Thursday, October 27th, 2016

DoubleTree Hotel 4727 Concord Pike Wilmington, DE 19803

Development of heterogeneous catalysts for the production of biomass-derived chemicals by selective C-O hydrogenolysis and deoxydehydration



School of Engineering, Tohoku University, 6-6-07 Aoba, Aramaki, Aoba-ku, Sendai, Miyagi 980-8579, Japan; Fax: +81-22-795-7214, tomi@erec.che.tohoku.ac.jp

Abstract

Chemical composition of the feedstock from biomass and biomass-based building blocks has much higher oxygen contents than that from crude oil. It has been known that the target products such as monomers for the polymer synthesis have comparatively lower oxygen content, and the methodology for the decrease of the oxygen content is more and more important. One of effective methods is the utilization of the hydrogenolysis of C-O bonds in the substrates. For example, C3-C6 sugar alcohols (glycerol, erythritol, xylitol, and sorbitol) are also regarded as promising building blocks in the biomass refinery. If the selective hydrogenolysis of the target C-O bond among various kinds of the C-O bonds is possible, valuable chemicals such as diols, mono-ols, alkanes can be produced from biomass in high yield. ReO_x-modified Ir metal catalyst (Ir-ReO_x) is reported to be effective to the selective hydrogenolysis of polyols and cyclic ethers in water solvent. Ir-ReO_x/SiO₂ catalyzes the hydrogenolysis of

glycerol to 1,3-propanediol. The hydrogenolysis of erythritol over the catalyst produces 1,4- and 1,3-butanediols. The selective hydrogenolysis of tetrahydrofurfuryl alcohol to 1,5-pentanediol also proceeds using Ir-ReO $_x$ /SiO $_2$. In addition, the combination of Ir-ReO $_x$ /SiO $_2$ with H-ZSM-5 gives n-alkanes and hexanols from cellulose, sugars, and sugar alcohols in high yield with the total C-O hydrogenolysis and without C-C bond dissociation and skeletal isomerization. Another interesting catalyst is ReO $_x$ -Pd/CeO $_2$. The catalyst showed excellent performance for simultaneous catalysisclubphilly.org

hydrodeoxygenation of vicinal OH groups in various substrates. High yield (>99%), turnover frequency, and turnover number were obtained in the reaction of 1,4-anhydroerythritol to tetrahydrofuran. This catalyst is also applicable to the conversion of sugar alcohols mono-alcohols and diols are obtained in high yields from substrates with even and odd numbers of OH groups, respectively. In addition, ReO_x -Au/CeO₂ catalyzed the conversion of glycerol and erythritol to allyl alcohol and 1,3-butadiene in high yield (91% and 81%), respectively.

Speaker Bio

Keiichi Tomishige received his B.S., M.S. and Ph.D. from Graduate School of Science, Department of Chemistry, The University of Tokyo with Prof. Y. Iwasawa. During his Ph.D. course in 1994, he moved to Graduate School of Engineering, The University of Tokyo as a research associate and worked with Prof. K. Fujimoto. In 1998, he became a lecturer, and then he moved to Institute of Materials Science, University of Tsukuba as a lecturer in 2001. Since 2004 he has been an associate professor, Graduate School of Pure and Applied Sciences, University of Tsukuba. Since 2010, he is a professor, School of Engineering, Tohoku University.

His research interests are the development of heterogeneous catalysts for

- 1) production of biomass-derived chemicals
- 2) direct synthesis of organic carbonates from CO₂ and alcohols
- 3) steam reforming of biomass tar,
- 4) syngas production by natural gas reforming ROCLAIM

He is Associate Editor of Fuel Processing Technology (2014/2-), Editorial board of Applied Catalysis A:General (2009/4-), Editorial advisory board of ACS Catalysis (2013/11-), International Advisory Board of ChemSusChem (2015/1-) and Advisory Board of Green Chemistry (2016/8-).

